

Applications of Artificial Intelligence

Sebastian Iwanowski
FH Wedel

Chapter 1:
Introduction and Survey

Survey of this course

Prerequisites of knowledge:

Discrete Mathematics (including applications), Programming I and II

helpful: Object oriented programming

Targets of this course:

Raising interest for AI applications and technology

Knowledge of several application fields for AI

Survey knowledge of several AI technologies

Which are the applications and technologies?

Wait a second ...

What is AI ?

Turing's test



A software is intelligent, if a human cannot distinguish its behaviour from the behaviour of a human.

Application: Medical Diagnosis

Psychoanalysis: Eliza 1966: Joseph Weizenbaum, MIT

Computer performs a psychoanalysis session and acts „as one thinks a psychoanalyst would act“.


- **passed Turing's test with a lot of people**
- **built-in language assembler and composer**
- **response rules**

Medical Diagnosis: Mycin 1972: University of Stanford

- **for diagnosis and treatment of infectious diseases**
- **worked with probabilistic rules**
- **got high hit scores**
- **little acceptance among physicians due to distrust to computers**

Base Technology: Expert System

Expert System Architecture



Application: Technical Diagnosis

What is **technical** diagnosis?

Input:

- Technical system (e.g. car, train)
- Observations (e.g. measurements, fault codes, driver's complaint), out of order.

Task:


Detect,

- for which reasons the system is out of order
- exactly enough to recover the proper function of the system.



Application: Technical Diagnosis


1970s: diagnosis = heuristic classification



knowledge about structure and function:
specific symptom \Rightarrow specific diagnosis

Application: Technical Diagnosis


1980s: diagnosis = model-based reasoning



Base Technology: Knowledge-Based Systems

knowledge + problem solving component = KBS
data processing rules

Architecture KBS (joint generalisation of XPS and MBR)



Application: Face recognition

Goals:

- Identifying persons of a certain group (gender, race, attitude, etc.)
- Identifying certain persons if they are in a certain area
- Forensic analysis

Base Technology: Case-Based Reasoning


Knowledge Acquisition Technique: Machine Learning

- Neural Networks
- Support Vector Machines

Application: Passenger Information System

Task:

For two points A and B, find the shortest path between A and B using exclusively segments of the traffic network.



Solution:

Dijkstra's algorithm

(cf. Discrete Mathematics, ch. 7, graph theory)

A* algorithm

Optimisation with further heuristics (e.g. Geofox system für Hamburg Transportation Network)

Optimisation with preprocessing (e.g. Hafas for German Railways)



several seminars, projects and graduation theses at FH Wedel on routing

Application: Passenger Information System

Passenger information for HVV with smartphones:

Development and implementation of actual prototypes:

- iPhone
- Android smartphones

Diploma thesis Sebastian Hammes (eos-uptrade, SS 2010)

- results used in HVV App

Bachelor thesis Henning Reimer (HBT, SS 2010)

- results used in Geofox App

Master thesis Josias Polchau (HBT, SS 2014)

- Innovation award of Rotary Club Wedel

Application: Passenger Information System

*does not contain AI
as defined in a classical way*

Mobile passenger assistant:

A „navigation device“ for public short-distance traffic

Master thesis by Josias Polchau (SS 2014)

Funktion	Nutzen	Realisierungsaufwand	
Informationen zur aktuellen Fahrt	██████████	██████████	implemented
Aktualisierung der Route	██████████	██████████	implemented
Erinnerungen	██████████	██████████	implemented
Verbesserung der Fußwegnavigation	██████████	██████████	
Füllstands-Anzeige	██████████	██████████	
Stau-Karte	██████████	██████████	implemented
Anzeige: Einstieg vorne/hinten	██████████	derzeit nicht möglich	
Fahrradmitnahme	██████████	derzeit nicht möglich	
Routenpause	██████████	██████████	
Lautsprecheransagen	██████████	derzeit nicht möglich	

Application: Road Navigation


Differences to be considered for adaptation to road networks:

- **Road network is much denser.**
- **no time-tables or opening hours**
- **Traveling time depends very much on traffic density.**
- **Traffic devices are not controlled centrally.**

Application: Road Navigation

Swarm Intelligence: Pheromone-Based Approach


Ants seeking for food



Application: Road Navigation

Swarm Intelligence: Pheromone-Based Approach

Analogue:
Cars seeking for routes



Base Technology: Swarm Intelligence

- **a lot of small autonomous units, each with limited ability**
- **total organism has a higher ability than the sum of the units**
(“emergent behaviour”)
- **determined rule system for total organism**
- **anytime ability**

Research focus at FH Wedel by iw:

Several projects, graduation theses and publications since 2006

Application: Game AI

Chess computer (Ex. for a turn-based game)

Milestone 1997:

Kasparov **2.5** – Deep Blue **3.5**



Further infos: <http://www.research.ibm.com/deepblue>



Application: Game AI

Fang den Fox - Mozilla Firefox

Datei Bearbeiten Ansicht Chronik Lesezeichen Extras Hilfe

http://catchfox.hbt.de/fdf/Fox.html

Meistbesuchte Seiten Windows Windows Media Kostenlose Hotmail Links anpassen FTP-Tutorial by Fabien... Recursion Software, In... Familienbilder2006

Suche Lesezeichen Rechtschreibprüfung Übersetzen Senden an Einstellungen

Fang den FOX mit GEOFOX

Spiel Fänger Ansicht Hilfe Freitag, 12.36 Uhr

Figuren

FOX

Die letzte bekannte Position des FOX ist:
Eppendorfer Baum

Diese Figur hat bereits diese Runde gezogen.

Fänger 1 +

Fänger 2 +

Fänger 3 +

Fänger 4 +

Fänger 5 +

Karte Satellit Hybrid

Google ©2008 DigitalGlobe, GeoContent, AeroWest, GeoEye, Kartendaten ©2008 Tele Atlas - Nutzungsbedingungen

Status

For informational stuff, maybe status bar
Begin loading stations: 11:35:20
Data received: 11:41:07
StartingStations made: 11:41:97

Fertig

Application: Game AI

Turn-based game „Catch the fox“

- Diploma thesis 2009 at HBT (operator of Geofox)
- 3. prize of Hochbahn award
- Computer controls the fox
which should be caught by human-controlled avatars
- Game uses real time information of HVV
- Originally programmed on GoogleMaps, then transferred to licensed map
- License reasons forced to switch off the online game.
- A new implementation is only possible with OpenStreetMap.



Project work possible at HBT

Application: Game AI

Real-time strategy games



Source Age of Empires 2, screenshot of Nils van Kan



Application: Game AI

Real-time strategy games

Typical AI requirements:

- Path finding and location analysis
- Resource planning
- Policies and strategies

Base Technology: Search Strategies

- **Construction of search spaces**
- **Uninformed search strategies**
 - **breadth-first search**
 - **depth-first search**
 - **combined search**  **Special case: Dijkstra's algorithm**
- **Informed search strategies**
 -  **Special case: A* algorithm**

is used in navigation products as well

Application: Game AI

Realtime strategy games

Requirements in modern games:

- Pathfinding and terrain analysis in environments changing dynamically

Algorithmic techniques:

- Construction of way graph for navigation
- Learning from suboptimal paths
- Working with unsafe information



*does not always
include classical AI*

*but is always
considered Game AI!*

Application: Traveling Salesman Problem (TSP)

Master example for an NP-hard problem:

For a given set of cities with known mutual distances, find the shortest round trip passing each city at least once.



Source: <http://www.tsp.gatech.edu//index.html>

Application: Traveling Salesman Problem (TSP)

Generalisations in logistic applications:

- **considering time restrictions (time windows)**
- **considering load capacities for delivery problems**
- **further system-specific requirements**

Examples for graduation theses in companies:

implico: Tour planning for oil and gas delivery (SS 2010, SS 2011, SS 2013)

Long-term development project: Tourist Information System

**Christoph Forster / Thomas Kresalek / Felix Döppers:
Master project Hamburg Tourist Information (since 2009)**

<http://vsrv-studprojekt2.fh-wedel.de:8080/touristinformationsystem/home>

Solution of dynamic problems via ant systems

Example for a graduation thesis in a company:

Christopher Blöcker: Dynamic optimisation of tour delivery using an ant system (SS 2011)

Application: Class Scheduling

Given finite sets Courses, Rooms, Time slots

Task: Generate an injective (one-to-one) function $C \rightarrow R \times T$

Strict Constraints (must be fulfilled in any case):

- **Certain courses must not take place at the same time**
- **For some courses, certain time slots are not admitted**
- **For some courses, certain rooms are not admitted**

Soft constraints (may be violated):

- **Certain courses should not take place at some times**
- **Certain courses should take place successively**
- **Certain courses should not take place on the same day**

Optimisation function:

- **fewest violations of soft criteria**
- **fewest free periods for certain study programmes**
- **most uniform distribution on different days for ...**

Base Technology: Constraint Satisfaction Problem (CSP)

Specification of a CSP:

- **set of variables**
- **domains of definition**
- **constraints: relations between variables (strict or soft)**
(normally, equations and inequalities)
- **optimisation criterion**
(normally, a real-valued function on the variables which has to be minimised or maximised)

valid solution:

assignment of all variables with values such that all strict constraints are satisfied

optimal solution:

valid solution optimising the optimisation criterion

Manifold application scenarios in various problems of logistics


Application: Tourist Information System

Requirements:

- Tourist gets the final control.
- Service provider is autonomous and takes responsibility for all information
- Independent broking between several providers
- Flexible response to requirement changes even during the tour
- fault tolerance for single provider failure
- **Arbitrary** service providers should be subject to be added or withdrawn automatically during system operation.


Application: Tourist Information System

Architecture of tour planning system: prototype of a SOA




Base Technology: Agent-Oriented Software

Multi-agent system:




Software agent:



Weitere Infos: Seminarvortrag und Ausarbeitung von Matthias Rohr, SS 2004, Nr. 4,
<http://www.fh-wedel.de/~si/seminare/ss04/Termine/Themen.html>, erreichbar über **archiv/iw**

Base Technology: Agent-Oriented Software

Agent property: Proactivity (goal oriented)



Agents do not only react to stimuli of the environment, but also depend on an internal state and have the capability to pursue own plans and actions.

=> They are taking **initiatives**


*„The difference between an automation and an agent is a somewhat like the difference between a dog and a butler. If you send your dog to buy a copy of the New York Times every morning, it will come back with its mouth empty if the news stand happens to have run out one day. In contrast, the butler will probably take the **initiative** to buy you a copy of the Washington Post, since he knows, that sometimes you read it instead.“*

Le Du

Quelle: Seminarvortrag und Ausarbeitung von Matthias Rohr, SS 2004, Nr. 4

Base Technology: Semantic Network

- **ontology management**
- **description language**
- **description logics**



developed in the 1990s based on AI syntax standards of the 1980s

Modern adaptation (2001): *Semantic Web standards*

Initiator: Tim Berners-Lee

Ontology management, description language and description logics in XML or comparable standards

Common feature:

Universally valid definitions in a syntax readable by engines and browsers

Defining AI

Thinking Humanly

“The exciting new effort to make computers think . . . *machines with minds*, in the full and literal sense.” (Haugeland, 1985)

“[The automation of] activities that we associate with human thinking, activities such as decision-making, problem solving, learning . . .” (Bellman, 1978)

Acting Humanly

“The art of creating machines that perform functions that require intelligence when performed by people.” (Kurzweil, 1990)

“The study of how to make computers do things at which, at the moment, people are better.” (Rich and Knight, 1991)

Thinking Rationally

“The study of mental faculties through the use of computational models.”
(Charniak and McDermott, 1985)

“The study of the computations that make it possible to perceive, reason, and act.”
(Winston, 1992)

Acting Rationally

“Computational Intelligence is the study of the design of intelligent agents.” (Poole *et al.*, 1998)

“AI . . . is concerned with intelligent behavior in artifacts.” (Nilsson, 1998)

Figure 1.1 Some definitions of artificial intelligence, organized into four categories.

Definitions from Russell / Norvig

Defining AI

AI deals with problems which

- **are relevant in practical applications.**
- **may not be specifiable in a mathematical way.**
- **are NP-hard if they can be specified in a mathematical way.**

Definition iw

Features of classical AI solutions

The classical controversy between different research communities in computer science:

AI vs. Algorithmics

- **flexible solutions**
- **human customer oriented solutions**
- **exact solutions**
- **efficient solutions**

This need not be contradictory!

Features of classical AI solutions

Intelligent creatures are able to process very general knowledge: The more general, the more intelligent.

The ability to process general knowledge needs general description languages for data and processes.

The most general description language is the language of mathematical logics.

This is why traditional AI implementations work with logic description languages.

- Problems:**
- **The tasks are usually formulated in a different way.**
 - **There is a trade-off between generality and efficiency.**

Base Technology: Logic Programming Language

- **Input:**
Specification of the problem with a logical description language
- **Output:**
Response in a logical description language
- **Automatically (without specifying algorithms!):**
Generation of output from input
- **For improvement of efficiency:**
Different specifications of the problem are possible and may influence the output if the automatic generation procedure is well-understood

Summary Chapter 1

AI goals for software solutions

- **generality**
- **flexibility, extensibility**
- **justification of answers** (only for „classical“ AI)

Tools and methods classically applied in AI

- **Logic programming languages (PROLOG)**
- **Object-oriented programming languages (Smalltalk)**
- **Functional programming languages (Lisp)**
- **Distributed technology (neural networks, multi-agent-systems, swarm intelligence)**
- **Concept descriptions (ontologies)**

Summary Chapter 1

Applications of AI:

- **Diagnosis**
 - Medical diagnosis
 - Technical diagnosis
- **Optimisation problems with dynamic parameters**
 - Passenger information systems
 - Road navigation
 - Logistics (TSP, Scheduling)
- **Resource allocation**
 - Allocation problems with manifold constraints (e.g. class schedule, tourist information system)
- **Flexible management of distributed knowledge**
 - Tourist information system
- **Games where a machine simulates a human player**
 - turn-based
 - real-time

Summary Chapter 1

Base Technologies of AI:

- **Knowledge-based systems (special case: expert systems)**
 - Separation of knowledge and inference engine
 - Intelligent knowledge acquisition and representation
 - Main focus: Reusability
- **Swarm intelligence**
 - distributed
 - statistic
 - concurrent updating
- **Agent oriented software**
 - distributed
 - autonomous
 - proactive

Summary Chapter 1

Base Technologies of AI:


- **Semantic network**
 - **Ontologies: Generation and administration of terminology and concepts**
- **Search strategies**
 - **Uninformed vs. informed**
- **Constraint satisfaction problem (CSP)**
 - **Search for valid solutions**
 - **Search for optimal solutions**
- **Logic programming languages**
 - ***What* is specified by man**
 - ***How* is generated automatically**

Literature

AI in general:



Günter Görz / Claus-Rainer Rollinger / Josef Schneeberger: *Handbuch der Künstlichen Intelligenz*
Oldenbourg 2000 (3. Auflage), ISBN 3-486-25049-3



Stuart Russell / Peter Norvig:
Artificial Intelligence: A Modern Approach,
Pearson 2010 (3. edition),
ISBN 0-13-207148-7

Wolfgang Ertel / Josef Schneeberger: *Grundkurs Künstliche Intelligenz*
Vieweg 2009 (2. Auflage), ISBN 987-3-8348-0783-0

for special fields of AI:

see my current website and comments