

Algorithmics

Sebastian Iwanowski
FH Wedel

- 3. Solutions for the dictionary problem
 - 3.4 Optimal binary search trees

Algorithmics 3

3.4 Optimal binary search trees

Problem:

- i. Let $S = \{a_1, a_2, \dots, a_n\}$ be a linearly ordered set with predetermined probabilities p_i for the occurrence of a_i and q_i für the occurrence of an element a in between: $a_i < a < a_{i+1}$.
- ii. Construct a binary search tree which minimizes the expected response time (i.e. number of comparisons with elements a_i).

Required tree properties:

The tree should not only find the position of elements contained in the given dictionary, but also locate the position where new elements would be placed:

Inner nodes correspond to elements contained, leaves correspond to elements in between

Solution by the algorithm of Bellman (1957)

Time for the construction of the search tree: $O(n^3)$ (easy to prove)

Improvement: $O(n^2)$

References:


Skript Alt S. 65 – 70 (ch. 3.3) in German: Other references are less clear

Cormen 15.5 (ch. Dynamic Programming)

Knuth 6.2.2 (Binary Tree Searching)

Bellman's Algorithm for optimal binary search trees:

$T_{i,j}$: subtree for search items greater than a_{i-1} and less than a_{j+1}



Special cases:

$T_{i,i}$: subtree for search items greater than a_{i-1} and less than a_{i+1} .
This tree consist of one node comparing with a_i

$T_{i,i-1}$: subtree for search items greater than a_{i-1} and less than a_i .
This tree is empty and corresponds to a leaf.

$T_{i,n}$: subtree for search items greater than a_{i-1}

$T_{1,j}$: subtree for search items less than a_{j+1}

$T_{1,n}$: tree for all search items

Notation: Skript Alt

Bellman's Algorithm for optimal binary search trees:

$T_{i,j}$: subtree for search items greater than a_{i-1} and less than a_{j+1}


$r_{i,j}$: index m of the root of $T_{i,j}$: The item to be compared with is a_m

$P(T_{i,j})$: expected costs for $T_{i,j}$ if $T_{i,j}$ is chosen

$w_{i,j}$: probability that $T_{i,j}$ is chosen

$c_{i,j}$: expected costs for $T_{i,j}$ if no precondition is known

Lemma 3.3.5: If $T_{i,j}$ is optimal, then each subtree is also optimal.



Algorithm 3: [Bellman, 1957] Iterative Suche nach dem optimalen Suchbaum T .

```

1: for  $i = 0, \dots, n$  do      Initialization for empty trees corresponding to
2:    $w_{i+1,i} = q_i$            the intervals in between the search keys
3:    $c_{i+1,i} = 0$ 
4: end for
5: for  $k = 0, \dots, n-1$  do
6:   for  $i = 1, \dots, n-k$  do
7:      $j = i+k$ 
8:     Bestimme  $m$  mit  $i \leq m \leq j$ , so dass  $c_{i,m-1} + c_{m+1,j}$  minimal ist.
9:      $r_{i,j} = m$ 
10:     $w_{i,j} = w_{i,m-1} + w_{m+1,j} + p_m$ 
11:     $c_{i,j} = c_{i,m-1} + c_{m+1,j} + w_{i,j}$ 
12:  end for
13: end for
  
```

k+1 is the number of elements considered in $T_{i,j}$

This is improved in Knuth

Assertion 3.3.6:

$$\begin{aligned}
 w_{i,j} &= w_{i,m-1} + p_m + w_{m+1,j} \\
 c_{i,j} &= w_{i,j} \cdot P(T_{i,j}) \\
 &= w_{i,j} \cdot (1 + P(T_{i,m-1}) + P(T_{m+1,j})) \\
 &= w_{i,j} + c_{i,m-1} + c_{m+1,j}
 \end{aligned}$$

Lemma 3.3.7:

$$r_{i,j-1} \leq r_{i,j} \leq r_{i+1,j} \quad \text{Notation: Skript Alt}$$

Example from Skript Alt:

$$p_1=0 \quad p_2=0,1 \quad p_3=0,2 \quad p_4=0,2$$


$$q_0=0,1 \quad q_1=0,1 \quad q_2=0,1 \quad q_3=0,1 \quad q_4=0,1$$

i	0	1	2	3	4
<i>Init</i>	$w_{1,0} = \mathbf{0,1}$ $c_{1,0} = 0$	$w_{2,1} = 0,1$ $c_{2,1} = 0$	$w_{3,2} = 0,1$ $c_{3,2} = 0$	$w_{4,3} = 0,1$ $c_{4,3} = 0$	$w_{5,4} = 0,1$ $c_{5,4} = 0$
$k = 0$		$r_{1,1} = 1$ $w_{1,1} = 0,2$ $c_{1,1} = 0,2$	$r_{2,2} = 2$ $w_{2,2} = 0,3$ $c_{2,2} = 0,3$	$r_{3,3} = 3$ $w_{3,3} = 0,4$ $c_{3,3} = 0,4$	$r_{4,4} = 4$ $w_{4,4} = 0,4$ $c_{4,4} = 0,4$
$k = 1$			$r_{1,2} = 2$ $w_{1,2} = 0,4$ $c_{1,2} = 0,6$	$r_{2,3} = 3$ $w_{2,3} = 0,6$ $c_{2,3} = 0,9$	$r_{3,4} = 3$ $w_{3,4} = 0,7$ $c_{3,4} = 1,1$
$k = 2$				$r_{1,3} = 2$ $w_{1,3} = 0,7$ $c_{1,3} = 1,3$	$r_{2,4} = 3$ $w_{2,4} = 0,9$ $c_{2,4} = 1,6$
$k = 3$					$r_{1,4} = 3$ $w_{1,4} = \mathbf{-1}$ $c_{1,4} = \mathbf{2}$

Tabelle 3.1: Tabelle zur Speicherung der Berechnungen des Algorithmus

Resulting construction of search tree:

	$i=0$	$i=1$	$i=2$	$i=3$	$i=4$
$k=0$		$r_{1,1} = \mathbf{1}$ $w_{1,1} = 0,2$ $c_{1,1} = 0,2$			$r_{4,4} = \mathbf{4}$ $w_{4,4} = 0,4$ $c_{4,4} = 0,4$
$k=1$			$r_{1,2} = \mathbf{2}$ $w_{1,2} = 0,4$ $c_{1,2} = 0,6$		
$k=2$					
$k=3$					$r_{1,4} = \mathbf{3}$ $w_{1,4} = 2$ $c_{1,4} = 1$



Notation: Skript Alt