

Algorithmics

Sebastian Iwanowski
FH Wedel

1. Introduction into formal algorithmics

Algorithmics 1

1.1 Comparing basic sorting techniques

- Description and functionality of algorithms:
Permutationsort, Selectionsort, Mergesort, Quicksort
 - Description in words, graphic visualization using arrays
- Estimating the run time for the worst case
 - Setting up recursive equations, computing an explicit solution
 - Run time estimation using the Big-O notation
- Results:

Permutationsort:	$O(\exp(n))$
Selectionsort:	$O(n^2)$
Mergesort:	$O(n \log n)$
Quicksort:	$O(n^2)$

References

Alt S. 4 – 7 (in German), Cormen ch. 2, Levitin ch. 3.1, ch. 4

Algorithmics 1

1.1 Comparing basic sorting techniques

Details of Selectionsort: „brute force“ strategy

- Pass all positions of data array in order.
- Search the minimum element upward from current position.
- Swap this element with element of current position.
- Output the new array after all position have been passed.

```
procedure selectionsort (data) : array
begin
    pos := 1;
    while pos < length(data) do
        begin
            newPos := minPos (data, pos, length(data));
            aux := data[pos];
            data[pos] := data[newPos];
            data[newPos] := aux;
            pos := pos + 1;
        end; {while}
        return data;
    end {selectionsort}
```

```
procedure sort (data) : array
begin
    newData := copy (data);
    return selectionsort (newData);
end {sort}
```

Algorithmics 1

1.1 Comparing basic sorting techniques

Details of auxiliary procedure *minPos*:

```
procedure minPos (data, first, last): integer
begin
    resultPos := first;
    resultValue := data[resultPos];
    pos := first;
    while pos < last do
begin
    pos := pos + 1;
    if data[pos] < resultValue
        then
            begin
                resultPos := pos;
                resultValue := data[resultPos];
            end;
end; {while}
return resultPos;
end {minPos}
```

Algorithmics 1

1.1 Comparing basic sorting techniques

Details of Mergesort:

- Divide data array into 2 halves.
- Sort the halves separately.
- Merge the sorted halves into a second array.

„divide and conquer“ strategy

```
procedure mergesort
    (fromData, toData, left, right)
begin
  if left < right
  then
    begin
      mid := (left + right) div 2;
      mergesort (toData, fromData,
                 left, mid);
      mergesort (toData, fromData,
                 mid+1, right);
      merge (fromData, toData,
             left, mid, mid+1, right);
    end {if}
end {mergesort}
```

Recursive version

```
procedure sort (data): array
begin
  data1 := copy (data);
  data2 := copy (data);
  mergesort (data1,
             data2, 1, length(data));
  return data2
end {sort}
```

Algorithmics 1

1.1 Comparing basic sorting techniques

Details of Mergesort:

- Divide data array into 2 halves.
- Sort the halves separately.
- Merge the sorted halves into a second array.

„divide and conquer“ strategy

```
procedure mergesortIter (data): array
begin
  data2 := copy (data); n := length(data);
  sortedLength := 1;
  while sortedLength < n do
    begin
      left1 := 1;
      while (left1+sortedLength) < n do
        begin
          right1 := left1+sortedLength; left2 := right1+1; right2 := left2+sortedLength;
          merge (data, data2, left1, right1, left2, right2);
          left1 := right2 + 1
        end;
      sortedLength := sortedLength + sortedLength;
      aux := data; data := data2; data2 := aux
    end;
  return data
end {sort2}
```

Iterative version

```
procedure sort (data): array
begin
  newData := copy (data);
  return mergesortIter(newData)
end {sort}
```

Algorithmics 1

1.1 Comparing basic sorting techniques

Details of auxiliary procedure **merge**:

```
procedure merge (fromData, toData, left1,
                 right1, left2, right2)
begin
  pos1 := left1; pos2 := left2; pos := left1;
  while (pos ≤ right2) do
    begin
      if pos1 > right1
        then
          assign (fromData, toData, pos2, pos)
      else if pos2 > right2
        then
          assign (fromData, toData, pos1, pos)
      else if fromData[pos1] ≤ fromData[pos2]
        then
          assign (fromData, toData, pos1, pos)
        else
          assign (fromData, toData, pos2, pos);
      pos := pos + 1
    end {while}
end {merge}
```

```
procedure assign (fromData, toData,
                  fromPos, toPos)
begin
  toData[toPos] := fromData[fromPos];
  fromPos := fromPos + 1;
end {assign}
```

*assign must declare the parameters
toData and fromPos
as call by reference !*

Algorithmics 1

1.1 Comparing basic sorting techniques

Details of Quicksort

„divide and conquer“ strategy

- Quicksort (A, i, j):
A is an array of n elements ($a[1], \dots, a[n]$).
 i, j are indices between 1 and n.
At the end, the elements between $a[i]$ and $a[j]$ are sorted in an increasing order.
- Partition (A,i,k,j) → order:
At the end, A is rearranged between $a[i]$ and $a[j]$ such that
first, only elements $\leq x := a[k]$ are chosen, then x , then only elements $> x$.
The return value order is the new position of x .
- Implementation of Quicksort (A, i, j):
Start with Quicksort (A, 1, n)

```
if i < j
    then k := random number between i and j;
        dividingIndex := Partition (A, i, k, j);
        Quicksort (A, i, dividingIndex-1);
        Quicksort (A, dividingIndex+1, j);
```

References:

Cormen ch. 7.1 (algorithm there without random number)
Levitin ch. 4.2

Algorithmics 1

1.1 Comparing basic sorting techniques

Details of Quicksort

„divide and conquer“ strategy

- Partition (A, i, k, j) \rightarrow order:

At the end, A is rearranged between $a[i]$ and $a[j]$ such that first, only elements $\leq x := a[k]$ are chosen, then x , then only elements $> x$. The return value order is the new position of x .

- Implementation of Partition:

```
count := number of elements  $\leq x$  between  $a[i]$  and  $a[j]$ ;  
order :=  $i+count-1$ ;  
Swap  $a[k]$  with  $a[order]$ ; // now  $x$  is placed on correct new position  
right :=  $j$ ;  
for left := 0 to count-2 do  
    if  $a[i+left] > x$   
        then while  $a[right] > x$  do right := right - 1;  
            Swap  $a[i+left]$  with  $a[j]$ ;  
return order;
```

References:

Cormen ch. 7.1 (algorithm there without random number)
Levitin ch. 4.2

Algorithmics 1

1.1 Comparing basic sorting techniques

Exact run time estimate: $\Theta(n^2)$

- lower run time estimate $\Omega(n^2)$:

For each n there is an input of size n with run time in $\Omega(n^2)$

- upper run time estimate $O(n^2)$:

using the recursive equation of script and explicite solution of the following: $T(n) \leq c \cdot n^2$
(proof by complete induction by n)

Remark to German script:

The proposition that $k=1$ or $k= n$ are the worst cases (which is true) is not proven in the script, but this is not necessary to show in order to show the above run time limits.

References:

Alt S. 7 (in German)


Cormen ch. 7.2

Algorithmics 1

1.2 Complexity measures for the analysis of algorithms

Computational model: RAM (Random Access Machine)

- Definition of a RAM
 - small assembler-like command pool,
 - control unit with constant time access to program storage and data storage



Befehl	: auszuführende Operation
LOAD a	$R_0 \leftarrow R_a$
STORE i	$R_i \leftarrow R_0$
ADD a	$R_0 \leftarrow R_0 + R_a$
SUB a	$R_0 \leftarrow R_0 - R_a$
MULT a	$R_0 \leftarrow R_0 \cdot R_a$
DIV a	$R_0 \leftarrow [R_0/R_a]$
READ i	$R_0 \leftarrow$ aktuelles Inputszeichen
WRITE i	Inhalt von $R_i \rightarrow$ Ausgabeband
JUMP b	nächster Befehl ist P_b
JZERO b	nächster Befehl ist P_b , wenn $R_0 = 0$
JGZERO b	nächster Befehl ist P_b , wenn $R_0 > 0$
HALT	Stoppbefehl

from Lang, ch. 4.5

References:

Alt S. 11-13 (in German)

Skript Lang, Kap. 4.5 (in German)

Mehlhorn ch. 2.2, 2.3 (outline, with a different perspective)

Algorithmics 1

1.2 Complexity measures for the analysis of algorithms

Computational model: RAM (Random Access Machine)

- Cost measures

UCM: All operations cost the same independent of operands' size.

LCM: The cost of an operation depends on size of operand.

- Run time equivalence

Algorithm requires on a RAM time in $\Theta(f(n))$ (UCM oder LCM)

\Leftrightarrow Algorithm requires the same time class $\Theta(f(n))$ on a „normal“ computer.

- Polynomial relation

Algorithm requires on a RAM time in $\Theta(f(n))$ using LCM

\Leftrightarrow Algorithm requires on a Turing machine time in $\Theta(P(f(n)))$ for a polynomial P.

References:

Alt S. 11-13 (in German)

Mehlhorn ch. 2.2, 2.3 (outline, with a different perspective)

Skript Lang, Kap. 4.5

Algorithmics 1

1.2 Complexity measures for the analysis of algorithms

Calculating with Landau symbols (“asymptotic size”)

- Definition of O , Ω and Θ

$$T(n) \in O(f(n)) \Leftrightarrow \exists c \in \mathbb{R} \ \exists n_0 \in \mathbb{N} \ \forall n \geq n_0: T(n) \leq c \cdot f(n)$$

$$T(n) \in \Omega(f(n)) \Leftrightarrow \exists c \in \mathbb{R} \ \exists n_0 \in \mathbb{N} \ \forall n \geq n_0: T(n) \geq c \cdot f(n)$$

$$T(n) \in \Theta(f(n)) \Leftrightarrow \exists c_1, c_2 \in \mathbb{R} \ \exists n_0 \in \mathbb{N} \ \forall n \geq n_0: c_1 \cdot f(n) \leq T(n) \leq c_2 \cdot f(n)$$

- Computational rules for Landau symbols

$$1) x < y \Rightarrow O(n^x) \subsetneq O(n^y)$$

$$2) x > 0 \Rightarrow O(\log n) \subsetneq O(n^x)$$

$$3) O(f(n)+g(n)) \in O(f(n)) \cup O(g(n)) \text{ (“maximum”)}$$

References:

Cormen ch. 3

Algorithmics 1

1.2 Complexity measures for the analysis of algorithms

Master-Theorem for the asymptotic run time estimation of divide & conquer algorithms

Let $T(n)$ be the recursive equation for a divide & conquer algorithm given by:

$$T(n) = a T(n/b) + f(n)$$

Then for $f(n) \in \Theta(n^k)$ holds:

1) $a < b^k \Rightarrow T(n) \in \Theta(n^k)$

2) $a = b^k \Rightarrow T(n) \in \Theta(n^k \log n)$

3) $a > b^k \Rightarrow T(n) \in \Theta(n^{\log_b a})$

The same results hold for O and Ω

References:

Cormen ch. 4

Algorithmics 1

1.2 Complexity measures for the analysis of algorithms

Denoting the complexity of algorithms by Landau symbols

Let $I(A)$ be an admissible input for algorithm A and $\text{size}(I(A))$ be the input size.

Let $T_A(I(A))$ be the run time of A (counting the number of operations), when $I(A)$ is the input.

- Upper run time limit in worst case:

A is an $O(f(n))$ algorithm $\Leftrightarrow \forall n \in \mathbb{N} \forall I(A), \text{size}(I(A))=n: T_A(I(A)) \in O(f(n))$

“All inputs are bounded by this asymptotic run time.”

- Lower run time limit in worst case:

A is an $\Omega(f(n))$ algorithm $\Leftrightarrow \forall n \in \mathbb{N} \exists I(A), \text{size}(I(A))=n: T_A(I(A)) \in \Omega(f(n))$

“For each n there is an input with this asymptotic run time bound.”

- Exact asymptotic run time in worst case:

A is a $\Theta(f(n))$ algorithm in a weak sense \Leftrightarrow

A is an $O(f(n))$ algorithm and A is an $\Omega(f(n))$ algorithm

A is a $\Theta(f(n))$ algorithm in a strong sense $\Leftrightarrow \forall n \in \mathbb{N} \forall I(A), \text{size}(I(A))=n: T_A(I(A)) \in \Theta(f(n))$

“All inputs have this asymptotic run time.”

References: ? (thanks for giving me hints)

Algorithmics 1

1.3 Lower bounds for algorithms using comparisons only

- Lower bound for the search of a maximum element

Given n elements (input size).

Compare graph must be connected → at least $n-1$ comparisons ($\Omega(n)$)

There is an $O(n)$ algorithm for this problem → This algorithm is optimal.

- Lower bound for the search of the k -th element of a given set

Given n elements (input size).

Compare graph must be connected → at least $n-1$ comparisons ($\Omega(n)$)

Optimal algorithm for this problem? → Chapter 2

- Lower bound for sorting

Correlate depth of a compare tree with the number of comparisons

Correlate depth of a binary search tree with the number of leaves

Estimate $n!$ and make a conclusion for $\log(n!)$ → at least $\Omega(n \log n)$ comparisons

Mergesort needs only $O(n \log n)$ comparisons → Mergesort is optimal.

References:

Alt S. 17 – 21 (in German)

Cormen ch. 8.1

Levitin ch. 11.1 (outline)