





Dialogtransaktion anzeigen



- MIME Repository
- Repository Browser
- Repository Infosystem
- Tag Browser
- Transport Organizer
- Test Repository

Programm



Objektname	Beschreibung
ZZ_40_SCREEN	Programm ZZ_40_SCREEN
Felder	
A1	
A2	
A3	
A4	
A5	
C1	
C2	
C3	
C4	
C5	
OK_CODE	
PBO-Module	
STATUS_0100	
PAI-Module	
USER_COMMAND_0100	
Dynpros	
0100	Dialogfenster
GUI-Status	
100	Dialogstatus
GUI-Titel	
100	Demonstration interner Tabelle SCREEN
Includes	
ZZ_40_SCREEN_STATUS_0100001	Include ZZ_40_SCREEN_STATUS_0100001
ZZ_40_SCREEN_TOP	Include ZZ_40_SCREEN_TOP
ZZ_40_SCREEN_UC_010001	Include ZZ_40_SCREEN_UC_010001
Transaktionen	
ZZ40SCREEN	Aufruf des Programms ZZ_40_SCREEN

Transaktionscode
 Paket

Transaktionstext
 Programm
 Dynpronummer
 Berechtigungsobjekt
 Pflege der Standardtransaktionsvariante erlaubt

Klassifikation


Transaktionsklassifikation
 Professional User Transaction
 Easy Web Transaction
 Pervasive enabled

GUI-Fähigkeit
 SAP GUI für HTML
 SAP GUI für Java
 SAP GUI für Windows

ABAP Editor: Modulpool ZZ_40_SCREEN anzeigen

- MIME Repository
- Repository Browser
- Repository Infosystem
- Tag Browser
- Transport Organizer
- Test Repository

Programm



Objektname	Beschreibung
ZZ_40_SCREEN	Programm ZZ_40_SCREEN
Felder	
A1	
A2	
A3	
A4	
A5	
C1	
C2	
C3	
C4	
C5	
OK_CODE	
PBO-Module	
STATUS_0100	
PAI-Module	
USER_COMMAND_0100	
Dynpros	
0100	Dialogfenster
GUI-Status	
100	Dialogstatus
GUI-Titel	
100	Demonstration interner Tabelle SCREEN
Includes	
ZZ_40_SCREEN_STATUS_0100001	Include ZZ_40_SCREEN_STATUS_0100001
ZZ_40_SCREEN_TOP	Include ZZ_40_SCREEN_TOP
ZZ_40_SCREEN_UC_0100101	Include ZZ_40_SCREEN_UC_0100101
Transaktionen	
ZZ40SCREEN	Aufruf des Programms ZZ_40_SCREEN

Modulpool aktiv



```

*&-----*
*& Modulpool      ZZ_40_SCREEN
*&
*&-----*
*&
*&
*&
*&-----*
INCLUDE ZZ_40_SCREEN_TOP           " global Data
INCLUDE ZZ_40_SCREEN_STATUS_0100001.
INCLUDE ZZ_40_SCREEN_UC_0100101.


```

ABAP Editor: Include ZZ_40_SCREEN_TOP anzeigen



- MIME Repository
- Repository Browser
- Repository Infosystem
- Tag Browser
- Transport Organizer
- Test Repository

Programm



Objektname	Beschreibung
ZZ_40_SCREEN	Programm ZZ_40_SCREEN
Felder	
A1	
A2	
A3	
A4	
A5	
C1	
C2	
C3	
C4	
C5	
OK_CODE	
PBO-Module	
STATUS_0100	
PAI-Module	
USER_COMMAND_0100	
Dynpros	
0100	Dialogfenster
GUI-Status	
100	Dialogstatus
GUI-Titel	
100	Demonstration interner Tabelle SCREEN
Includes	
ZZ_40_SCREEN_STATUS_0100001	Include ZZ_40_SCREEN_STATUS_0100001
ZZ_40_SCREEN_TOP	Include ZZ_40_SCREEN_TOP
ZZ_40_SCREEN_UC_010001	Include ZZ_40_SCREEN_UC_010001
Transaktionen	
ZZ40SCREEN	Aufruf des Programms ZZ_40_SCREEN

Include aktiv



```

*&-----*
*& Include ZZ_40_SCREEN_TOP                      Modulpool ZZ_40_SCREEN
*&-----*

PROGRAM zz_40_screen.

DATA ok_code LIKE sy-ucomm.

DATA: a1 TYPE c value 'X',
      a2 TYPE c value 'X',
      a3 TYPE c value 'X',
      a4 TYPE c value 'X',
      a5 TYPE c value 'X'.

data: c1 TYPE c VALUE 'X',
      c2 TYPE c VALUE 'X',
      c3 TYPE c VALUE 'X',
      c4 TYPE c VALUE 'X',
      c5 TYPE c VALUE 'X'.
    
```

ABAP Editor: Include ZZ_40_SCREEN_STATUS_0100001 anzeigen



- MIME Repository
- Repository Browser
- Repository Infosystem
- Tag Browser
- Transport Organizer
- Test Repository

Programm



Objektname	Beschreibung
ZZ_40_SCREEN	Programm ZZ_40_SCREEN
Felder	
A1	
A2	
A3	
A4	
A5	
C1	
C2	
C3	
C4	
C5	
OK_CODE	
PBO-Module	
STATUS_0100	
PAI-Module	
USER_COMMAND_0100	
Dynpros	
0100	Dialogfenster
GUI-Status	
100	Dialogstatus
GUI-Titel	
100	Demonstration interner Tabelle SCREEN
Includes	
ZZ_40_SCREEN_STATUS_0100001	Include ZZ_40_SCREEN_STATUS_0100001
ZZ_40_SCREEN_TOP	Include ZZ_40_SCREEN_TOP
ZZ_40_SCREEN_UC_0100101	Include ZZ_40_SCREEN_UC_0100101
Transaktionen	
ZZ40SCREEN	Aufruf des Programms ZZ_40_SCREEN

Include aktiv



```

*-----*
***INCLUDE ZZ_40_SCREEN_STATUS_0100001 .
*-----*
*&
*&   Module STATUS_0100  OUTPUT
*&
*   text
*-----*
MODULE status_0100 OUTPUT.

  SET PF-STATUS '100'.
  SET TITLEBAR '100'.


  LOOP AT SCREEN.
    CASE screen-name.
      WHEN 'B1'.
        IF a1 = 'X'.
          screen-active = '1'.
        ELSE.
          screen-active = '0'.
        ENDIF.
      WHEN 'B2'.
        IF a2 = 'X'.
          screen-active = '1'.
        ELSE.
          screen-active = '0'.
        ENDIF.
      WHEN 'B3'.
        IF a3 = 'X'.
          screen-active = '1'.
        ELSE.
          screen-active = '0'.
        ENDIF.
      WHEN 'B4'.
        IF a4 = 'X'.
          screen-active = '1'.
        ELSE.
          screen-active = '0'.
        ENDIF.
      WHEN 'B5'.
        IF a5 = 'X'.
          screen-active = '1'.
        ELSE.
          screen-active = '0'.
        ENDIF.
    ENDCASE.
  MODIFY SCREEN.
  ENDOLOOP.

ENDMODULE.           " STATUS_0100  OUTPUT
    
```

ABAP Editor: Include ZZ_40_SCREEN_UC_0100I01 anzeigen

- MIME Repository
- Repository Browser
- Repository Infosystem
- Tag Browser
- Transport Organizer
- Test Repository

Programm



Objektname	Beschreibung
ZZ_40_SCREEN	Programm ZZ_40_SCREEN
Felder	
A1	
A2	
A3	
A4	
A5	
C1	
C2	
C3	
C4	
C5	
OK_CODE	
PBO-Module	
STATUS_0100	
PAI-Module	
USER_COMMAND_0100	
Dynpros	
0100	Dialogfenster
GUI-Status	
100	Dialogstatus
GUI-Titel	
100	Demonstration interner Tabelle SCREEN
Includes	
ZZ_40_SCREEN_STATUS_0100001	Include ZZ_40_SCREEN_STATUS_0100001
ZZ_40_SCREEN_TOP	Include ZZ_40_SCREEN_TOP
ZZ_40_SCREEN_UC_0100I01	Include ZZ_40_SCREEN_UC_0100I01
Transaktionen	
ZZ40SCREEN	Aufruf des Programms ZZ_40_SCREEN

Include aktiv



```

*-----*
**INCLUDE ZZ_40_SCREEN_UC_0100I01 .
*-----*
*&
*&   Module USER_COMMAND_0100 INPUT
*&
*&   text
*-----*
MODULE user_command_0100 INPUT.

CASE ok_code.
  WHEN 'BACK'.
    LEAVE PROGRAM.
  WHEN '0'.
    a1 = c1.
    a2 = c2.
    a3 = c3.
    a4 = c4.
    a5 = c5.
  WHEN '1'.
    IF c1 = 'X'.
      c1 = ' '.
    ELSE.
      c1 = 'X'.
    ENDIF.
  WHEN '2'.
    IF c2 = 'X'.
      c2 = ' '.
    ELSE.
      c2 = 'X'.
    ENDIF.
  WHEN '3'.
    IF c3 = 'X'.
      c3 = ' '.
    ELSE.
      c3 = 'X'.
    ENDIF.
  WHEN '4'.
    IF c4 = 'X'.
      c4 = ' '.
    ELSE.
      c4 = 'X'.
    ENDIF.
  WHEN '5'.
    IF c5 = 'X'.
      c5 = ' '.
    ELSE.
      c5 = 'X'.
    ENDIF.
ENDCASE.


ENDMODULE.           " USER_COMMAND_0100 INPUT
  
```

Screen Painter: Dynpro zu ZZ_40_SCREEN anzeigen



- MIME Repository
- Repository Browser
- Repository Infosystem
- Tag Browser
- Transport Organizer
- Test Repository

Programm
 ZZ_40_SCREEN



Objektname	Beschreibung
ZZ_40_SCREEN	Programm ZZ_40_SCREEN
Felder	
A1	
A2	
A3	
A4	
A5	
C1	
C2	
C3	
C4	
C5	
OK_CODE	
PBO-Module	
STATUS_0100	
PAI-Module	
USER_COMMAND_0100	
Dynpros	
0100	Dialogfenster
GUI-Status	
100	Dialogstatus
GUI-Titel	
100	Demonstration interner Tabelle SCREEN
Includes	
ZZ_40_SCREEN_STATUS_0100001	Include ZZ_40_SCREEN_STATUS_0100001
ZZ_40_SCREEN_TOP	Include ZZ_40_SCREEN_TOP
ZZ_40_SCREEN_UC_010001	Include ZZ_40_SCREEN_UC_010001
Transaktionen	
ZZ40SCREEN	Aufruf des Programms ZZ_40_SCREEN

Dynpronummer: 100 aktiv

- Eigenschaften
- Elementliste
- Ablauflogik

Kurzbeschreibung	Dialogfenster		
Originalsprache	DE	Deutsch	Paket ZZ_40
Letzte Änderung	15.12.2009	14:34:57	
Letzte Generierung	15.12.2009	14:34:59	

Dynprotyp

Normal

Subscreen

Modales Dialogfenster

Selektionsdynpro

Einstellungen

Halten Daten

Ausschalten Laufzeitkompr.

Vorlage - nicht ausführbar

Halten Scrollposition

Ohne Applikationstoolbar

Weitere Attribute

Folgedynpro: 100

Cursorposition: _____

Bildgruppe: _____

Zeilen/Spalten	Belegt	4	58
	Pflege	27	120

Contextmenu FORM ON CTMENU: _____

Screen Painter: Dynpro zu ZZ_40_SCREEN anzeigen



- MIME Repository
- Repository Browser
- Repository Infosystem
- Tag Browser
- Transport Organizer
- Test Repository

Programm



Objektname	Beschreibung
ZZ_40_SCREEN	Programm ZZ_40_SCREEN
Felder	
A1	
A2	
A3	
A4	
A5	
C1	
C2	
C3	
C4	
C5	
OK_CODE	
PBO-Module	
STATUS_0100	
PAI-Module	
USER_COMMAND_0100	
Dynpros	
0100	Dialogfenster
GUI-Status	
100	Dialogstatus
GUI-Titel	
100	Demonstration interner Tabelle SCREEN
Includes	
ZZ_40_SCREEN_STATUS_0100001	Include ZZ_40_SCREEN_STATUS_0100001
ZZ_40_SCREEN_TOP	Include ZZ_40_SCREEN_TOP
ZZ_40_SCREEN_UC_0100101	Include ZZ_40_SCREEN_UC_0100101
Transaktionen	
ZZ40SCREEN	Aufruf des Programms ZZ_40_SCREEN

Dynpronummer aktiv

- Eigenschaften
- Elementliste
- Ablauflogik




```

PROCESS BEFORE OUTPUT.
  MODULE status_0100.
*
PROCESS AFTER INPUT.
  MODULE user_command_0100.
    
```

Ze 6, Sp 28

Ze 1 - Ze 6 von 6 Zeilen



Screen Painter: Dynpro zu ZZ_40_SCREEN anzeigen

MIME Repository
 Repository Browser
 Repository Infosystem
 Tag Browser
 Transport Organizer
 Test Repository

Programm: ZZ_40_SCREEN

Objektname	Beschreibung
ZZ_40_SCREEN	Programm ZZ_40_SCREEN
Felder	
A1	
A2	
A3	
A4	
A5	
C1	
C2	
C3	
C4	
C5	
OK_CODE	
PBO-Module	
STATUS_0100	
PAI-Module	
USER_COMMAND_0100	
Dynpros	
0100	Dialogfenster
GUI-Status	
100	Dialogstatus
GUI-Titel	
100	Demonstration interner Tabelle SCREEN
Includes	
ZZ_40_SCREEN_STATUS_0100001	Include ZZ_40_SCREEN_STATUS_0100001
ZZ_40_SCREEN_TOP	Include ZZ_40_SCREEN_TOP
ZZ_40_SCREEN_UC_010001	Include ZZ_40_SCREEN_UC_010001
Transaktionen	
ZZ40SCREEN	Aufruf des Programms ZZ_40_SCREEN

Dynpronummer 100 aktiv

Eigenschaften Elementliste Ablauflogik

Allg. Attrib. Texte u. E/A-Schabl. Spez. Attrib. Anzeigeattrib. ModifGruppen/Funktionen Referenzen

H	M	Name	Typ des Dynproelementes	Ze	Sp	de	vis	H	rol	Format	Ei	Au	Nur	Di	Dict	Property-Liste
		C1	Check	2	5	1	1	1		CHAR	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		Properties
		C2	Check	2	15	1	1	1		CHAR	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		Properties
		C3	Check	2	25	1	1	1		CHAR	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		Properties
		C4	Check	2	35	1	1	1		CHAR	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		Properties
		C5	Check	2	45	1	1	1		CHAR	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		Properties
		B0	Push	2	52	7	7	1			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		Properties
		B1	Push	4	2	7	7	1			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		Properties
		B2	Push	4	12	7	7	1			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		Properties
		B3	Push	4	22	7	7	1			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		Properties
		B4	Push	4	32	7	7	1			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		Properties
		B5	Push	4	42	7	7	1			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		Properties
		OK_CODE	OK	0	0	20	20	1	<input type="checkbox"/>	OK				<input type="checkbox"/>		

Screen Painter: Dynpro zu ZZ_40_SCREEN anzeigen

MIME Repository
 Repository Browser
 Repository Infosystem
 Tag Browser
 Transport Organizer
 Test Repository

Programm
 ZZ_40_SCREEN


Objektname	Beschreibung
ZZ_40_SCREEN	Programm ZZ_40_SCREEN
Felder	
A1	
A2	
A3	
A4	
A5	
C1	
C2	
C3	
C4	
C5	
OK_CODE	
PBO-Module	
STATUS_0100	
PAI-Module	
USER_COMMAND_0100	
Dynpros	
0100	Dialogfenster
GUI-Status	
100	Dialogstatus
GUI-Titel	
100	Demonstration interner Tabelle SCREEN
Includes	
ZZ_40_SCREEN_STATUS_0100001	Include ZZ_40_SCREEN_STATUS_0100001
ZZ_40_SCREEN_TOP	Include ZZ_40_SCREEN_TOP
ZZ_40_SCREEN_UC_010001	Include ZZ_40_SCREEN_UC_010001
Transaktionen	
ZZ40SCREEN	Aufruf des Programms ZZ_40_SCREEN

Dynpronummer 100 aktiv

Eigenschaften Elementliste Ablauflogik

Allg. Attrib. Texte u. E/A-Schabl. Spez. Attrib. Anzeigeattrib. ModifGruppen/Funktionen Referenzen


H	M	Name	Typ des Dynproelementes	Gr	Gr	Gr	Gr	Sc	R	Ein	W	Ei	Funktionscode	Fu	dy
		C1	Check							<input type="checkbox"/>					
		C2	Check							<input type="checkbox"/>					
		C3	Check							<input type="checkbox"/>					
		C4	Check							<input type="checkbox"/>					
		C5	Check							<input type="checkbox"/>					
		B0	Push							<input type="checkbox"/>			0		
		B1	Push							<input type="checkbox"/>			1		
		B2	Push							<input type="checkbox"/>			2		
		B3	Push							<input type="checkbox"/>			3		
		B4	Push							<input type="checkbox"/>			4		
		B5	Push							<input type="checkbox"/>			5		
		OK_CODE	OK							<input type="checkbox"/>					



Status 100 der Oberfläche ZZ_40_SCREEN anzeigen

- MIME Repository
- Repository Browser
- Repository Infosystem
- Tag Browser
- Transport Organizer
- Test Repository


Programm
 ZZ_40_SCREEN



Objektname	Beschreibung
ZZ_40_SCREEN	Programm ZZ_40_SCREEN
Felder	
A1	
A2	
A3	
A4	
A5	
C1	
C2	
C3	
C4	
C5	
OK_CODE	
PBO-Module	
STATUS_0100	
PAI-Module	
USER_COMMAND_0100	
Dynpros	
0100	Dialogfenster
GUI-Status	
100	Dialogstatus
GUI-Titel	
100	Demonstration interner Tabelle SCREEN
Includes	
ZZ_40_SCREEN_STATUS_0100001	Include ZZ_40_SCREEN_STATUS_0100001
ZZ_40_SCREEN_TOP	Include ZZ_40_SCREEN_TOP
ZZ_40_SCREEN_UC_010001	Include ZZ_40_SCREEN_UC_010001
Transaktionen	
ZZ40SCREEN	Aufruf des Programms ZZ_40_SCREEN

Oberfläche **ZZ_40_SCREEN** aktiv

- Menüleiste Dialogstatus
- Drucktastenleiste Dialogstatus
- Funktionstasten Dialogstatus



Empfohlene Funktionstastenbelegungen


F2		
F9		
Umsch-F2		
Umsch-F4		
Umsch-F5		

Frei belegbare Funktionstasten

F5		
F6		
F7		
F8		
Umsch-F1		
Umsch-F6		
Umsch-F7		
Umsch-F8		
Umsch-F9		
Umsch-Strg-0		
Umsch-F11		
Umsch-F12		
Strg-F1		
Strg-F2		
Strg-F3		
Strg-F4		
Strg-F5		
Strg-F6		
Strg-F7		
Strg-F8		
Strg-F9		
Strg-F10		
Strg-F11		
Strg-F12		
Strg-Umsch-F1		
Strg-Umsch-F2		
Strg-Umsch-F3		
Strg-Umsch-F4		
Strg-Umsch-F5		
Strg-Umsch-F6		
Strg-Umsch-F7		
Strg-Umsch-F8		
Strg-Umsch-F9		




Titel der Oberfläche ZZ_40_SCREEN anzeigen



- MIME Repository
- Repository Browser
- Repository Infosystem
- Tag Browser
- Transport Organizer
- Test Repository

Programm



Objektname	Beschreibung
ZZ_40_SCREEN	Programm ZZ_40_SCREEN
Felder	
A1	
A2	
A3	
A4	
A5	
C1	
C2	
C3	
C4	
C5	
OK_CODE	
PBO-Module	
STATUS_0100	
PAI-Module	
USER_COMMAND_0100	
Dynpros	
0100	Dialogfenster
GUI-Status	
100	Dialogstatus
GUI-Titel	
100	Demonstration interner Tabelle SCREEN
Includes	
ZZ_40_SCREEN_STATUS_0100001	Include ZZ_40_SCREEN_STATUS_0100001
ZZ_40_SCREEN_TOP	Include ZZ_40_SCREEN_TOP
ZZ_40_SCREEN_UC_010001	Include ZZ_40_SCREEN_UC_010001
Transaktionen	
ZZ40SCREEN	Aufruf des Programms ZZ_40_SCREEN

Oberfläche **ZZ_40_SCREEN** aktiv

Titelnummer	Titel
100	Demonstration interner Tabelle SCREEN